

F 18 Max

Phone:

(440) 250-2144

Section 1 Identification

Trade Name: F 18 Max Date Prepared: 02/04/2016

Product Identification: PTS-F18M

Synonyms: None CAS No: Mixture

Product Use Description:

Industrial Cleaner

Details of the supplier of the safety data sheet

Pressure Tek Sales

905 Canterbury Road

Unit F

WESTLAKE, OH 44145 US website: www.pressuretek.com

Emergency telephone number

Infotrac (800) 535-5053 (US & Canada)

(352) 323-3500

Section 2 Hazards Identification

GHS Classification: Skin Corrosion/Irritation Category 1

Serious Eye Damage/Irritation Category 1

Aquatic Toxicity Acute Category 3

GHS label elements:



Corrosive

Signal Word: Danger

Hazard Statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H402 Harmful to aquatic life

Precautionary Statements:

Prevention

P260 Do not breathe mist or spray.

P264 Wash skin thouroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing and eye protection or face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse SKIN with water.

P304 + P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P363 Wash contaminated clothing before reuse.

 Trade Name:
 F 18 Max
 SDS #:
 PTS-F18M
 Page 1 of 7

 SDS ID:
 SDS00854
 Revision # 1
 Revision Date 02/04/2016



F 18 Max

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Hazards Not Otherwise Classified (HNOC):

None.

Additional Information:

None.

Section 3 Composition

Chemical Name	Common name and synonyms	CAS#	%
sodium hydroxide		1310-73-2	55 - 60
sodium carbonate		497-19-8	15 - 20
alkylphenol ethoxylate		9016-45-9	1 - 5

Section 4 First Aid

General:

Move out of dangerous area. Perform first aid measures as indicated. Seek immediate medical attention and show this safety data sheet to attending physician.

Inhalation:

Move to freah air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek immediate medical attention. If not breathing give artificial respiration and seek immediate medical attention.

Skin contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Seek immediate medical attention.

Eye contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.

Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.

Most important symptoms and effects both acute and delayed:

No information available.

Indication of any immediate medical attention and special treatment needed:

No information available.

Section 5 Fire Fighting Measures

Suitable Extinguishing Media:

Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.

Unsuitable Extinguishing Media:

No information available.

Specific hazards developing from the chemical:

No information available.

Precautions for firefighters:

No information available.

Firefighting Instructions:

No information available.

Protection During Firefighting:

Wear full protective gear and full face pressure demand self-contained breathing apparatus.

Other information:

 Trade Name:
 F 18 Max
 SDS #:
 PTS-F18M
 Page 2 of 7

 SDS ID:
 SDS00854
 Revision # 1
 Revision Date 02/04/2016



F 18 Max

No additional information available.

Section 6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.

Methods and material for containment and cleaning up:

Sweep up spilled material and place in suitable container for disposal. Dispose of spilled/collected material in accordance with all federal, state and local regulations.

Section 7 Handling and Storage

Precautions for safe handling:

Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

Conditions for safe storage, including any incompatibilities:

Store in original container. Keep container tightly closed. Strore at room temperature (50-90 F) in a dry well-ventilated area.

Section 8 Exposure Controls/Personal Protection

Exposure limits:

Exposure illinis.				
Ingredient	Data Source	Exposure Form	Exposure Value	Exposure Notes
alkylphenol ethoxylat	e			
	ACGIH TLV		Not Established	
	OSHA PEL		Not Established	
sodium carbonate				
	ACGIH TLV		Not Established	
	OSHA PEL		Not Established	
sodium hydroxide				
-	ACGIH TLV	Ceiling	2 mg/m3	
	NIOSH	Ceiling	2 mg/m3	
	OSHA PEL	· ·	2 mg/m3	

Appropriate Engineering Controls:

Use local and/or general exhaust ventilation to maintain airborn concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.

Individual protection measures:

Eye/face protection:

Chemical goggles or face shield should be worn when handling this material.

Skin protection:

Hand Protection:

Wear chemical resistant gloves when handling.

Other

Wear chemical resistant clothing or chemical splash suit when handling.

Respiratory Protection:

Wear respiratory protection if mist or vapor is produced, while using this material.

General hygiene considerations:

Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.

Additional information:

No additional information available.

Trade Name: F 18 Max SDS #: PTS-F18M Page 3 of 7
SDS ID: SDS00854 Revision # 1 Revision Date 02/04/2016



F 18 Max

Section 9 Physical and Chemical Properties

Appearance White to Off White

Powder

Odor Not available. Odor threshold Not available. pН 13,5 (1% solution) Not available. Melting/freezing point Initial boiling point Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Lower flammability limit Not available. Not available. **Upper flammability limit** Lower explosive limit Not available. Upper explosive limit Not available.

Solubility in water 50%

Vapor pressure

Relative density

Vapor density

PC: n-octanol/water
Auto-Ignition temperature
Decomposition temperature
Viscosity
Density
Not available.

Section 10 Stability and Reactivity

Reactivity: Not reactive under normal use conditions.

Not available.

Not available.

Not available.

Chemical stability: Material is stable under normal handling and storage conditions.

Hazardous reactions: Hazardous polymerization will not occur under normal handling and storage.

Conditions to avoid: Avoid excessive heating, freezing and chemical contamination.

Decomposition products: Sodium Oxides

Incompatible materials: Avoid contact with oxidizers and strong acids.

Section 11 Toxicological Information

Information on the likely routes of exposure:

Inhalation:

Material may cause irritation and is extremely destructive to mucous membranes and upper respiratory tract.

Skin Contact:

Material may cause skin irritation and damage.

Eye Contact:

Material may cause eye irritation and damage.

Ingestion:

Ingestion may cause irritation and may be destructive to tissue contacted.

Symptoms related to the physical, chemical and toxicological characteristics:

No information available.

Delayed and chronic effects:

No information available.

Numerical measures of toxicity:

Components Exposure Species Dose Notes

sodium hydroxide:

No Data Available

 Trade Name:
 F 18 Max
 SDS #:
 PTS-F18M
 Page 4 of 7

 SDS ID:
 SDS00854
 Revision # 1
 Revision Date 02/04/2016



F 18 Max

4 hr

alkylphenol ethoxylate:

 Oral
 LD50
 Rat
 960 mg/kg

 Dermal
 LD50
 Rabbit
 2000 mg/kg

 Inhalation
 LC50
 Rat
 1.15 mg/l

sodium carbonate:

 Oral
 LD50
 Rat
 4090 mg/kg

 Inhalation
 LC50
 Rat
 5750 mg/l

Toxicological effects:

Acute Toxicity:

Mixture:

No information available.

Skin Corrosion/Irritation:

Mixture:

No information available.

Serious Eye Damage/Irritation:

Mixture:

No information available.

Respiratory sensitization:

Mixture:

No information available.

Skin sensitization:

Mixture:

No information available.

Germ cell mutagenicity:

Mixture:

No information available.

Cancinogenicity:

Mixture:

This product is considered to be a potencial canginogen by:

NTP: No OSHA: No IARC: No

Reproductive toxicity:

Mixture:

This product is not expected to cause reproductive and developmental effects.

STOT-single exposure:

Mixture:

No information available.

STOT-repeated exposure:

Mixture:

No information available.

Aspiration hazard:

Mixture:

This product is not an aspiration hazard.

Additional information:

None.

Section 12 Ecological Information

Ecotoxicity:

No information available.

Numerical measures of ecotoxicity:

Components	Type	Species	Dose	Notes	
sodium hydroxid	e:				
Fish	LC50	Mosquito Fish	125 mg/l	96 hr	
Invertebrate	EC50	Daphnia magna	40.38 mg/l	48 hr	
alkylphenol ethor	xylate:				
Fish	LC50	Fathead Minnow	3.6 mg/l	96 hr	
Invertebrate	EC50	Daphnia magna	9.3 mg/l	48 hr	
sodium carbonat	e:	. •	G		

 Trade Name:
 F 18 Max
 SDS #:
 PTS-F18M
 Page 5 of 7

 SDS ID:
 SDS00854
 Revision # 1
 Revision Date 02/04/2016



F 18 Max

Fish LC50 Bluegill 300 mg/l 96 hr

Persistence and degradability:

Mixture:

No information available.

Bioaccumulative potencial:

Mixture:

No information available.

Mobility in soil:

Mixture:

No information available.

Other adverse effects:

Mixture:

No information available.

Additional information:

No information available.

Section 13 Disposal Considerations

Disposal instructions:

Dispose of material in accordance with all federal, state and local regulations.

Contaminated packaging:

Triple rinse container and offer for recycling. Dispose of container following all federal, state and local regulations.

Additional Information:

No additional information available.

Section 14 Transport Information

DOT:

UN number: UN3262

UN proper shipping name: UN3262, CorrosiveSolid, Basic, Inorganic, N.O.S. (Sodium Hydroxide), 8, PGII

Class: 8

Subsidary risk:none

Label(s):8

Packing group: ||

Packaging exceptions:none

Section 15 Regulatory Information

Federal regulations:

SARA 311/312 Hazard categories:

Immediate (Acute) Health Hazard Immediate (Acute) Health Hazard

Immediate (Acute) Health Hazard

SARA 302 Extremely hazardous substance: sodium carbonate Reportable Quantity: > 1000 lbs

SARA 304 Emergency release notification:

Not regulated.

SARA 311/312 Hazardous chemical:

Yes

SARA 313 Toxic Release Inventory (TRI) report:

Not regulated.

CERCLA Hazardous substance list:

Not Listed.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):

This chemical is not a pesticide product.

Clean Air Act regulated substances:

None.

 Trade Name:
 F 18 Max
 SDS #:
 PTS-F18M
 Page 6 of 7

 SDS ID:
 SDS00854
 Revision # 1
 Revision Date 02/04/2016



F 18 Max

Clean Water Act regulated substances:

None.

U.S. state regulations:

Massachusetts RTK Substances

alkylphenol ethoxylate

Listed.

New Jersery RTK Substances

alkylphenol ethoxylate

Listed.

Pennsylvania RTK Substance

alkylphenol ethoxylate

Listed.

Canadian regulations:

Canadian Ingridient Disclosure List substances:

None listed.

WHMIS classification:

Not classified.

Section 16 Other Information

HMIS hazard ID:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *-Chronic health effect

NFPA hazard ID:

Flamability:
Health:
Reactivity:
Special hazard:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Disclamer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested

procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable

laws, regulations, rules or insurance requirements.

Issue Date: 02/04/2016

Revision: 1

 Trade Name:
 F 18 Max
 SDS #:
 PTS-F18M
 Page 7 of 7

 SDS ID:
 SDS00854
 Revision # 1
 Revision Date 02/04/2016