BUCKMAN'S LIQUID SHOCK 12.5%

Section 1

Manufacturer's Name	Emergency Telephone Number:				
James Austin Company	CHEMTREC: (800) 424-9300				
Manufacturer's Address	Telephone Number for Information				
P.O. Box 827	(800) 245-1942				
Mars, PA 16046	DOT Shipping Name: Hypochlorite Solution				
Date Prepared May 3, 2004	DOT Hazardous Substance:	RQ 100 lbs			
Revision: No. 8	DOT Hazardous Guide:	# 60			

Section 2: Hazardous Ingredients/Identity Information HAZARDOUS COMPONENTS

SPECIFIC CHEMICAL IDENTITY: UN # CAS NUMBER: OSHA PEL ACGIH TLV % (OPTIONAL)	Sodium Hypochlorite 1791 7681-52-9 None Established None Established 12.5% - 12.7%	Sodium Hydroxide 1824 1310-73-2 2 mg/m ³ ceiling 2 mg/m ³ ceiling 0.25% - 0.33%			
DOT CLASSIFICATION	Corrosive	Corrosive			
NFPA Hazard Designation					
Health	3 - Warning, Corrosive. Avoid skin and eye contact, inhalation, or ingestion.				
Flammability	0 - Non combustible.				
Reactivity	 Caution: May decompose if heated. 				
Personnel Protection	H - Safety Goggles, Gloves, Apron, Vapor Respirator				

Section 3: Physical/Chemical Characteristics

Boiling Point:	220°F	Melting Point	5°F
Vapor Pressure (mm Hg.)		Evaporation Rate(Butyl Acetate=1)	
Vapor Density (AIR=1)		Appearance and Odor	Clear - Light Yellow
Solubility in Water	Completely Soluble	· · ·	liquid with characteristic
Specific Gravity (H20=1)	1.20 - 1.21		Chlorine Odor.

Section 4: Fire and Explosion Hazard Data

Flash Point (Method Used)	Non-Flammable
Flammable Limits	N/A
LEL	
UEL	
Extinguishing Media	Suitable for surrounding fire
Special Fire Fighting Procedures	Wear self-contained breathing apparatus with full protective clothing. Avoid body contact and inhalation of fumes.

Unusual Fire and Explosion Hazards Strong oxidizer. Contact with combustibles may initiate or promote combustion. Acids and heat accelerate decomposition. Decomposition products may include chlorine. Toxic fumes can be liberated by heat or decomposition.

Section 5: Reactivity Data

Stability	Product is stable and decomposes naturally with age.
Conditions to Avoid	Excessive exposure to heat and light, or contact with incompatible materials.
Materials to Avoid	Acids, ammonia, metals, combustibles, detergents, reducing agents, oxidizable materials, chlorinated isocyanurates.
Hazardous Decomposition	
Byproducts	Chlorine, Hydrochloric Acid, Hypochlorous Acid, Oxygen.

IDENTITY (As used on Label and List):

BUCKMAN'S LIQUID SHOCK 12.5%

Section 6: Health Hazard Data						
Routes of Entry:	Inhalation	Yes	Skin	Yes	Ingestion	Yes
Health Hazards (Acute and Chronic) Acute:	Severe irritant to skin, eyes, nose, throat and gastrointestinal tract. Prompt treatment is important to minimize effects of overexposure.					
Chronic:	Eyes: Skin: Inhalation: Ingestion:		Severe Irritant Corros	sion of n d stoma	iratory tract nucous meml	oranes; perforation of I to convulsions,
Carcinogenicity:	NTP: IARC Monog OSHA Regul		Not lis Not lis Not lis	ted		
Signs and Symptoms of Exposures:	Eyes and Sk Respiratory Ingestion:	Tract: sore t	Cough hroat and Nause	iing and I labore a and v	d breathing.	ay cause shortness of breath, ible perforation of esophagus
Medical Conditions Generally Aggravated by Exposure		Vapors may aggravate respiratory ailments.				
Emergency and First Aid Procedures	Eyes: Skin:		physic	ian.		t 15 minutes and call lenty of water. Remove
	Inhalation:	skin is is diffi	contan burned, Remov	ninated call phy	clothing and sician.	and call physician if breathing
Socian 7: Proputions for Safa k	Ingestion:		Rinse and/or	milk. D	o not induce	rink large amounts of water vomiting. Call Physician. DA OR ACIDIC ANTIDOTES.

Section 7: Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled:

Toxic to fish and aquatic life. Do not allow material to enter sewers, streams, ponds, storm drains. Personnel involved with clean-up must be equipped with NOISH approved respiratory protection, eye protection, rubber boots, rubber gloves and protective clothing.

Waste Disposal Method:

Do not absorb spills with flammable materials such as sawdust or combustible absorbents. Contain spills in as small an area as possible for neutralization and dilution. Absorbent material is best placed in plastic containers. Dispose of residue in accordance with Federal, State and Local regulations.

Precautions to be Taken in Handling and Storing.

Store in ventilated containers away from sunlight; separate from acids, heat, oxidizing materials, ammonia, hydrocarbons, alcohols, ethers or isocyanurates. Store in cool area.

Other Precautions:

Do not mix with other cleaning agents containing acids or ammonia. These may liberate chlorine and chloramines upon mixing. Avoid wearing contact lenses when handling this product. Do not store in metal containers.

IDENTITY (As used on Label and List):

BUCKMAN'S LIQUID SHOCK 12.5%

Section 6: Control measures					
Respiratory Protection:	Self-contained breathing apparatus suitable for acid gas and chlorine should be used for strong concentration.				
Ventilation:	Local Exhaust:	Yes	Mechanical (General):	Recommended	
Protective Gloves: Rubber	Eye Protection: Chemical Splash Goggles				
Other Protective Clothing or Equipment:	Eye wash station; safety shower; hard hats; Rubber boots; Protective Clothing.				
Work/Hygienic Practices:	Avoid skin and vapor contact. Wash thoroughly after using.				

Section 8: Control Measures

Section 9: Additional Information

TSCA INVENTORY:	Listed	
SARA TITLE III HAZARD CATEGORIES:	Health: Physical:	Immediate: (Acute) Reactive Hazard

When empty, returnable containers must be shipped in accordance with Federal, State and DOT regulations. All residual product must be removed by triple rinsing the container with water.

This product is regulated by the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) if used as a sanitizer or disinfectant. Repackagers must obtain EPA Registration and Establishment numbers.

DISCLAIMER:

As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable Federal and State law(s). However, no warranty or representation with respect to such information is intended or given.

It is the user's obligation to determine the conditions of safe use of this product. Each user should study this Material Safety Data Sheet to become aware of the product hazards. Additional resources may have to be consulted to insure safe handling, storage and use.